

Product Guide

Total Packaging Solutions



Table of Contents

Roll Stock Films	3
Meal and School Lunch Trays.....	4
Fruit Cup and Vegetable Portion Trays	5
Side Salad, Bun and Dessert Trays	6
Hinged Lid and Container/Lid Combos	7
Utility and Reimbursable Meal Pack Trays.....	8
Ovenable CPET Trays	9
Medium and Large Entrée Platters	10-11
Sandwich Wedge, Hot Dog and Hoagie	12
Overwrap Trays	13
Heat Seal and Support Equipment	14-19

Preferred Packaging Sales and Service

Contact our Sales Department:

770-416-0088
770-416-0095 fax
sales@prefpkg.com

prefpkg.com
osmachines.com



Preferred Packaging Sales and Service is small enough to offer quick, personalized service but large enough to handle all of your needs.

We are dedicated to providing quality products. Our team understands your operation and works with you to create effective and efficient packaging solutions.

Roll Stock Films

Our inventory of various film types and a full range of converting equipment allows us to maintain our quality service and quick turnaround commitment to our customers.

Lidding Films

Films that seal to all material, including PP, CPET, APET, PS and coated paperboard. Seal strength can vary from easy peel to weld seal.

Dual-Ovenable Films

These films are perfect for the packaging of any application that needs to be heated in an oven or microwave.

Anti-Fog Films

Films treated to stay clear under heat or refrigerated conditions.

Vertical and Horizontal Form Fill and Seal Films

Our roll stock for VFFS and HFFS applications is fully customizable.

Polypropylene (BOPP) and Polyester Overwrap Films

Our PP and PE high speed overwrap films are available in a full range of thicknesses.

Custom In-House Printing and Lamination

We specialize in custom printed films up to "8" colors to cover just about every tray application imaginable including ovenable overwrap. We can surface print or reverse printed film "buried" within a protective laminate layer.

Barrier Films

We have the ability to provide different barrier levels to achieve the OTR and WVTR to meet your needs.

Perforated Films

Laser perforations to adjust OTR to extend the shelf-life of your freshcut produce, by properly controlling the release of Co₂ and the entry of O₂ into the package. Hot pin for moisture evacuation to maintain crispness.

Specialty Films

Available in clear, white or metalized. We also offer *Retortable* and *HPP* applications. These films can be sealed to CPET, APET, PP, PS, PVC or Paperboard substrates.



Meal and School Lunch Trays



I-312 Insert (NT275 & NT312 only)
Four Compartment Condiment
Salad/ School Lunch Tray
 Size: 6-1/2" L x 5" W x 1-1/16" D
 Colors: Clear

Wt.	Cube	Count
13 lbs.	2.17	1200 ea.

275-1 Insert (NT275 & NT312 only)
Three Compartment Condiment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 1" D
 Colors: Clear

Wt.	Cube	Count
17 lbs.	1.92	1000 ea.



NT-4C (Film Sealable)
SNACK/ LUNCHABLE TRAY
 Size: 6-1/2" L x 5" W x 7/16" D
 Colors: Clear

Wt.	Cube	Count
17 lbs.	2.30	500 ea.

NT312 with the I-312
Condiment Insert



NT100
One Compartment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 1-5/8" D
 Colors: Clear

Wt.	Cube	Count
17 lbs.	2.30	500 ea.



NT150
One Compartment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 2-1/8" D
 Colors: Clear

Wt.	Cube	Count
17 lbs.	2.30	500 ea.



NT200
Two Compartment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 1-5/8" D
 Colors: Clear

Wt.	Cube	Count
17 lbs.	2.30	500 ea.



NT275
One Compartment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 2-3/4" D
 Colors: Clear

Wt.	Cube	Count
14 lbs.	2.30	500 ea.



NT312
One Compartment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 3-1/8" D
 Colors: Clear

Wt.	Cube	Count
34 lbs.	4.63	1200 ea.



NT100-MW (High Heat)
One Compartment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 1-1/2" D
 Colors: Black "Microwavable"

Wt.	Cube	Count
12 lbs.	2.17	500 ea.



NT140-MW (High Heat)
One Compartment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 1-1/8" D
 Colors: Black "Microwavable"

Wt.	Cube	Count
12 lbs.	2.17	500 ea.



NT130-2HB MW (High Heat)
Two Compartment Salad/ School
Lunch Tray
 Size: 6-1/2" L x 5" W x 1-1/8" D
 Colors: Black "Microwavable"

Wt.	Cube	Count
13 lbs.	2.17	500 ea.

Fruit Cup and Vegetable Portion Trays



D72R
5 oz. Dessert/ Portion Tray
 Size: 3-1/2" L x 3-1/2" W x 1" D
 Colors: Clear

Wt.	Cube	Count
15 lbs.	2.06	2000 ea.



D72R-MW (High Heat)
5 oz. Dessert/ Portion Tray
 Size: 3-1/2" L x 3-1/2" W x 1-1/4" D
 Colors: Black "Microwavable"

Wt.	Cube	Count
9 lbs.	1.58	1000 ea.



D74R-HD
7.5 oz. Dessert/ Portion Tray
 Size: 3-1/2" L x 3-1/2" W x 1-3/4" D
 Colors: Clear

Wt.	Cube	Count
20 lbs.	3.75	2000 ea.



D74-MW * (High Heat)
7.5 oz. Dessert/ Portion Tray
 Size: 3-1/2" L x 3-1/2" W x 1-3/4" D
 Colors: Black "Microwavable"

Wt.	Cube	Count
12 lbs.	2.74	1000 ea.



D78R-HD
8 oz. Dessert/ Portion Tray
 Size: 3-1/2" L x 3-1/2" W x 2-3/4" D
 Colors: Clear

Wt.	Cube	Count
13 lbs.	2.74	1000 ea.



Try our stock school print lidding film
 or have our in house graphics department
 create your own custom designed printed film.

Side Salads, Bun and Dessert Trays



SB1

10 oz. Salad/ Dessert Tray

Size: 4-5/8" L x 4-5/8" W x 1-3/8" D
Colors: Clear

Wt.	Cube	Count
16 lbs.	2.75	1000 ea.



SB2R-HD

14 oz. Salad/ Bun/ Dessert Tray

Size: 4-5/8" L x 4-5/8" W x 2" D
Colors: Clear

Wt.	Cube	Count
16 lbs.	2.20	1000 ea.



SB3R-HD

18 oz. Salad/ Bun/ Dessert Tray

Size: 4-5/8" L x 4-5/8" W x 2-3/4" D
Colors: Clear

Wt.	Cube	Count
17 lbs.	2.20	1000 ea.



SB5R-HD

16 oz. Salad/ Bun/ Dessert Tray

Size: 6-1/2" L x 5" W x 2-3/4" D
Colors: Clear

Wt.	Cube	Count
17 lbs.	2.20	1000 ea.



SB2RHD-MW (High Heat)

14 oz. Salad/ Bun/ Dessert Tray

Size: 4-5/8" L x 4-5/8" W x 2" D
Colors: Black "Microwavable"

Wt.	Cube	Count
16 lbs.	2.20	1000 ea.



SB20*

20 oz. Chef Salad/ Hamburger Tray

Size: 5-1/2" L x 5-1/2" W x 2" D
Colors: Clear

Wt.	Cube	Count
18 lbs.	3.86	1000 ea.



SB32*

32 oz. Chef Salad/ Hamburger Tray

Size: 5-1/2" L x 5-1/2" W x 2-1/2" D
Colors: Clear

Wt.	Cube	Count
13 lbs.	3.99	500 ea.



Hinged Lid and Container/Lid Combo Trays



SW-1*
Small Hinged Lid Sandwich Wedge
 Size: 7" L x 3-5/8" W x 3-3/8" D
 Colors: Clear

Wt.	Cube	Count
12 lbs.	3.02	500 ea.



J0-14*
Hot Dog/ Hoagie Tray
 Size: 7-1/8" L x 3-3/4" W x 2-1/8" D
 Colors: Clear

Wt.	Cube	Count
14 lbs.	2.62	1000 ea.




7150-CLR COMBO*
24 oz. Salad Bowl with Anti-fog Lid
 Size: Bowl - 7-5/8" Diam. x 1-1/2" D
 Lid - 7-5/8" Diam. x 3/4" D

Wt.	Cube	Count
15 lbs.	3.17	200 ea.



***Special Order**
100 Case Minimum

Microwavable Container/Lid Combo Trays



7150-MW COMBO (High Heat)*
24 oz. Salad Bowl with Anti-fog Lid
 Size: Bowl - 7-5/8" Diam. x 1-1/2" D
 Lid - 7-5/8" Diam. x 3/4" D Colors: Clear Lid, Black Base

Wt.	Cube	Count
15 lbs.	3.17	200 ea.



7200-MW COMBO (High Heat)*
2 Compartment Salad Bowl with Anti-fog Lid
 Size: Bowl - 7-5/8" Diam. x 1-1/2" D
 Lid - 7-5/8" Diam. x 3/4" D Colors: Clear Lid, Black Base

Wt.	Cube	Count
15 lbs.	3.17	200 ea.



912-MW/ L900-AF Combo (High Heat)*
12 oz. Casserole Container
 Size: Bowl - 5-1/2" x 8-1/8" x 1-1/4" D
 Lid—7-5/8" L x 5-3/4" D Colors: Clear Lid, Black Base

Wt.	Cube	Count
9 lbs.	1.37	250 ea.

Reimbursable Meal Packs/ Utility Trays



SL64
**One Compartment Utility/
 School Cold Pack Tray**
 Size: 9-1/4" L x 7-1/16" W x 2" D
 Colors: Clear, Black

Wt.	Cube	Count
26 lbs.	4.63	500 ea.



SL78*
**One Compartment Utility/
 School Cold Pack Tray**
 Size: 9-1/4" L x 7-1/16" W x 3-1/2" D
 Colors: Clear

Wt.	Cube	Count
26 lbs.	4.63	500 ea.



SL1065-26*
**One Compartment School
 Lunch Tray**
 Size: 9-3/4" L x 6-1/2" W x 2-1/2" D
 Colors: Clear

Wt.	Cube	Count
26 lbs.	4.63	500 ea.



SL1065-26-2C*
**Two Compartment School
 Lunch Tray**
 Size: 9-3/4" L x 6-1/2" W x 2-1/2" D
 Colors: Clear

Wt.	Cube	Count
26 lbs.	4.63	500 ea.



Microwavable and Warmer Safe Meal Tray - Heat up to 250° F



SL8565-15-3MW* (High Heat)
**Three Compartment Salad/ School Lunch
 Tray**
 Size: 8-7/16" L x 6-3/8" W x 1-1/2" D
 Colors: Black "Microwavable"

Wt.	Cube	Count
24 lbs.	2.83	500 ea.



From Freezer to 400° Oven



7590-187-3C (400° Ovenable)
Three Compartment Rectangle Tray
Size: 8-1/2" L x 6-1/2" W x 1-7/8" D
Colors: Black

Wt.	Cube	Count
28 lbs.	2.95	368 ea.

7590-150-3C (400° Ovenable)
Three Compartment Rectangle Tray
Size: 8-1/2" L x 6-1/2" W x 1-1/2" D
Colors: Black

Wt.	Cube	Count
28 lbs.	2.95	368 ea.



7590-187-2C (400° Ovenable)
Two Compartment Rectangle Tray
Size: 8-1/2" L x 6-1/2" W x 1-7/8" D
Colors: Black

Wt.	Cube	Count
28 lbs.	2.95	384 ea.

7590-150-2C (400° Ovenable)
Two Compartment Rectangle Tray
Size: 8-1/2" L x 6-1/2" W x 1-1/2" D
Colors: Black

Wt.	Cube	Count
28 lbs.	2.95	384 ea.

Oval and Round Ovenable Tray
Versions are available on Request.
Minimum Pallet Orders Required on
Ovenable Trays

Meals on Wheels Tray 400° Ovenable



8050 (400° Ovenable)
Three Compartment Rectangle Tray
Size: 8-1/2" L x 6-7/16" W x 1-7/16" D
Colors: Black

Wt.	Cube	Count
33	3.86	540 ea.

7590-150-2C (400° Ovenable)
Two Compartment Rectangle Tray
Size: 8-1/2" L x 6-1/2" W x 1-1/2" D
Colors: Black

Wt.	Cube	Count
33	3.86	540 ea.

Medium Entrée Platters and Lid



MP16
16 oz. Medium Entrée Platter
 Size: 7-1/2" L x 5-3/4" W x 1-3/8" D
 Colors: Clear

Wt.	Cube	Count
12 lbs.	.89	500 ea.



MP24
24 oz. Medium Entrée Platter
 Size: 7-1/2" L x 5-3/4" W x 2" D
 Colors: Clear

Wt.	Cube	Count
14 lbs.	1.21	500 ea.



MP16-MW (High Heat)
16 oz. Medium Entrée Platter
 Size: 7-1/2" L x 5-3/4" W x 3/8" D
 Colors: Black

Wt.	Cube	Count
17 lbs.	2.40	500 ea.



MP24-MW (High Heat)
24 oz. Medium Entrée Platter
 Size: 7-1/2" L x 5-3/4" W x 2" D
 Colors: Black

Wt.	Cube	Count
20 lbs.	2.40	500 ea.



MP36-MW (High Heat)*
36 oz. Medium Entrée Platter
 Size: 9-1/4" L x 5-3/4" W x " D
 Colors: Black

Wt.	Cube	Count
20 lbs.	3.91	500 ea.



MPLD-AF*
Clear "Anti-Fog" Lid
Fits "MW" Medium Entrée Platter
 Size: 7-1/2" L x 5-3/4" W x " D
 Colors: Clear

Wt.	Cube	Count
14 lbs.	2.65	500 ea.

Large Entrée Platters



P1R
One Compartment Entrée Platter
 Size: 9-1/4" L x 5-3/4" W x 1-11/16" D
 Colors: Clear

Wt.	Cube	Count
18 lbs.	2.51	500 ea.



P2-LS
Two Compartment Entrée Platter
 Size: 9-5/16" L x 5-3/4" W x 1-11/16" D
 Colors: Clear

Wt.	Cube	Count
18 lbs.	2.51	500 ea.



P3-LS
Three Compartment Entrée Platter
 Size: 9-5/16" L x 5-3/4" W x 1-11/16" D
 Colors: Clear

Wt.	Cube	Count
18 lbs.	2.50	500 ea.



P5
One Compartment "Deep" Entrée Platter
 Size: 9-1/4" L x 5-5/8" W x 2-3/4" D
 Colors: Clear

Wt.	Cube	Count
21 lbs.	4.22	500 ea.

Large Entrée Platters



P1R-MW (High Heat)
One Compartment Entrée Platter
 Size: 9-1/4" L x 5-3/4" W x 1-11/16" D
 Colors: Black - Microwavable

Wt.	Cube	Count
13 lbs.	2.35	250 ea.



P1.5R-MW (High Heat)
One Compartment Entrée Platter
 Size: 9-1/4" L x 5-3/4" W x 2-1/2" D
 Colors: Black - Microwavable

Wt.	Cube	Count
11 lbs.	1.90	250 ea.



P5R-MW DEEP (High Heat)
One Compartment Entrée Platter
 Size: 9-1/4" L x 5-3/4" W x 3-1/2" D
 Colors: Black - Microwavable

Wt.	Cube	Count
21 lbs.	2.72	250 ea.



P2R-MW (High Heat)
Two Compartment Entrée Platter
 Size: 9-1/2" L x 6" W x 1-11/16" D
 Colors: Black - Microwavable

Wt.	Cube	Count
13 lbs.	2.00	250 ea.



Film Sealable Entrée Platters



P5R SALAD INSERT
Five Cell Condiment Insert for P5 Platter
 Size: 8-1/2" L x 5" W x 1-1/16" D
 Colors: Clear

Wt.	Cube	Count
15 lbs.	2.44	500 ea.



P2.5R-MW (High Heat)
Two Compartment Entrée Platter
 Size: 9-1/2" L x 6" W x 2-3/8" D
 Colors: Black - Microwavable

Wt.	Cube	Count
13 lbs.	2.00	250 ea.



P3R-MW (High Heat)
Three Compartment Entrée Platter
 Size: 9-1/2" L x 6" W x 1-11/16" D
 Colors: Black - Microwavable

Wt.	Cube	Count
13 lbs.	2.35	250 ea.



P3.5R-MW (High Heat)*
Three Compartment Entrée Platter
 Size: 9-1/2" L x 6" W x 2-3/8" D
 Colors: Black - Microwavable

Wt.	Cube	Count
12 lbs.	1.9	250 ea.

Film Sealable Sandwich and Hot Dog-Hoagie Trays



W3
Medium Sandwich Wedge
 Size: 6-1/2" L x 3-1/4" W x 3-1/8" D
 Colors: Black, Opaque, Blue, Red, Yellow

Wt.	Cube	Count
19 lbs.	2.72	1000 ea.



W101
Large Sandwich Wedge
 Size: 6-1/2" L x 3-1/2" W x 3-1/16" D
 Colors: Black , Opaque, Blue, Red

Wt.	Cube	Count
19 lbs.	2.72	1000 ea.



C2401
Double Sandwich Club/ Wedge
 Size: 6-1/2" L x 3-1/2" W x 3-1/16" D
 Colors: Black , Opaque

Wt.	Cube	Count
15 lbs.	2.25	500 ea.

Show Off Your Cold Pack Field Trip
 And Summer Feeding.
 No More Leaks!



H1
Hot Dog/ Hoagie Tray
 Size: 6-5/8" L x 3-5/8" W x 2-1/2" D
 Colors: Clear

Wt.	Cube	Count
18 lbs.	3.99	1000 ea.



H103
Hot Dog/ Hoagie Tray
 Size: 6-5/8" L x 3-5/8" W x 2-3/16" D
 Colors: Clear

Wt.	Cube	Count
19 lbs.	3.94	1000 ea.



H3
Hot Dog Tray
 Size: 6-5/8" L x 3-1/4" W x 2" D
 Colors: Clear

Wt.	Cube	Count
19 lbs.	4.12	1000 ea.



ST6535-MW* (High Heat)
Veggie/ Snack Tray
 Size: 6-1/4" L x 3-5/16" W x 1-1/8" D
 Colors: Clear

Wt.	Cube	Count
13 lbs.	2.99	1000 ea.

Overwrap Trays



29201
Single Hot Dog Overwrap Tray
 Size: 6-1/4" L x 2-3/4" W x 1-1/2" D
 Colors: Clear

Wt.	Cube	Count
13 lbs.	2.85	2000 ea.



29205
Double Hot Dog Overwrap Tray
 Size: 4-1/4" L x 6" W x 1-1/4" D
 Colors: Clear

Wt.	Cube	Count
19 lbs.	2.85	2000 ea.



39033
Large Hoagie Overwrap Tray
 Size: 8-1/2" L x 3-3/4" W x 1-1/8" D
 Colors: Clear

Wt.	Cube	Count
10 lbs.	1.26	1000 ea.



82098
Medium Hoagie Overwrap Tray
 Size: 7" L x 3-1/2" W x 7/8" D
 Colors: Clear

Wt.	Cube	Count
15 lbs.	1.09	2000 ea.



4934MW (High Heat)
Sausage Biscuit Overwrap Tray
 Size: 5-3/8" L x 5-3/8" W x 5/8" D
 Colors: Natural

Wt.	Cube	Count
10 lbs.	1.14	1000 ea.



P18R
English Muffin Overwrap Tray
 Size: 4-1/8" L x 4-1/8" W x 1-1/4" D
 Colors: Clear

Wt.	Cube	Count
12 lbs.	3.985	2000 ea.



SB7
One Compartment "Shallow" Utility Tray
 Size: 4-3/4" L x 4-3/4" W x 1-1/2" D
 Colors: Clear

Wt.	Cube	Count
10 lbs.	1.75	1000 ea.

Returned Goods Policy

When Preferred Packaging is responsible for errors in shipping or the quality of the merchandise, the product may be returned to Preferred Packaging, freight prepaid. All returns must reference a validated "Return Authorization" number which must be obtained from your Preferred Packaging representative. Credit will be issued for the purchase price of merchandise and freight upon verification of error by Preferred Packaging.

Merchandise damaged in shipment must be reported to Preferred Packaging Within 3 days of receiving date so that a claim may be filed against the Freight Company. Customer must note any damaged cases on bill of lading at time of delivery. The Freight Company must hold this merchandise for disposition.

When a customer is responsible for an error, merchandise may be returned to Preferred Packaging with written authorization from your representative. The customer will pay a restocking charge for this service in addition to paying inbound and out-bound freight charges. No credit will be allowed on broken, re-taped or open cartons.



HS-39M Manual Heat Sealer

The HS-39M is designed to heat seal to a tray, die cut, and rewind scrap film either with manual operation, or with an automatic sensor built into the machine that will automatically operate the seal head when the seal pocket is inserted into the machine (optional).

Capable of output at up to 12 units per minute, the HS-39M will prove to be an asset to your kitchen for years to come.

- Tray counter feature that will allow you to see how many units have been run through the machine, counter can be reset daily.
- Die cut film trimming.
- Compact Design
- Programmable Heat Controller
- Can use large film rolls up to 3,000' long.
- Custom Pockets Available

HS-48 Manual Heat Seal Lidding Machine

This low cost machine offers a fast and effective solution for sealing heat sensitive film to a wide variety of containers, for a tamper-evident, stay-fresh seal. Included with the machine is one set of three seal plates, allowing pre-loading of the third plate while the other two plates are cycling through the Machine.

Versatile

- Large Variety of Seal Plates Available as Well as Custom Sizes
- Seals Containers up to 4" in Depth
- Seals 16 Trays Per Minute or More depending on tray size
- Swing-Out Arm for Fast and Safe Change of Film Rolls
- Quick release film collars require no additional tools to remove.

Heavy Duty Construction

5" High, "C" channel rails with the top of the rail completely covered in Stainless Steel. Heater Guards open on both sides for easy cleaning and are Cool to the touch. Plug in heater wiring make roller replacement a snap.

Optional HS48 Slitter and Rolling Cart (Inset)


The In-Line Film Slitter will reduce your production time by 30% when sealing 3-across tray production (D74 and H1 seal plates). Easily attaches to the side rails and comes with quick disconnect latch clips. Uses standard hardware triangle blades.



Ask About Our No Obligation Trial
On The HS-48 Manual Heat Seal Machine

OMNI IDX140-E Automatic Heat Sealer

Our IDX140E is designed to seal heat sensitive film to plastic or paper containers for a tamper evident, stay fresh seal. The machine utilizes a mechanical platen style seal head, interchangeable pockets and rotating cutter.



**Platen Head vs Seal Roller
Seal Area Comparison**



Standard Features

- Stainless Steel Construction
- Intermittent Motion Pocket Conveyor With Adjustable Dwell Time Seal Head Produces Superior Seals At High Production Speeds
- Wash Down Safe
- Variable Speed
- Universal Exit Ramp
- Allen-Bradley Plc Controller
- T-Gasket Seal Pockets
- Air Driven Seal Head For Superior Seal Strength
- Able To Seal Trays With Multiple Cutoff Lengths

Optional Features

- Custom Lengths And Widths Available
- In-Line Film Printer/ Coder
- Tray Dispensers
- Product Fillers

OMNI IDX140-SE Economy Automatic Heat Sealer

The IDX140-SE is designed to seal heat sensitive film to plastic or paper containers for a tamper evident, stay-fresh seal. Seals trays with a 7" cutoff.

Standard Features

- Lightweight Steel Construction
- Intermittent Motion Pocket Conveyor With Adjustable Dwell Time Seal Head Up To 18 Trays Per Minute.
- Fixed Exit Ramp
- T-Gasket Seal Pockets
- 110 Volt Power

Optional Features

- In-Line Film Printer/ Coder
- Available as IDX140A-SE Air Piston Model



**No Air Required To
Operate Seal Head**



Machine pictured
with optional
In-Line Printer,
Auto Tray Denester
and Touch Screen
Control Panel

Dual lane design supports 2-across tray sealing on trays up to 5.25" wide at speeds of up to 60 trays per minute. This machine utilizes a platen style seal head, interchangeable sets of pockets and rotating cutters for superior sealing for no-leak tray seals.

Standard Features

- Brushed Finished Stainless Steel Construction for low maintenance and easy cleaning
- Intermittent Motion Pocket Conveyor with Adjustable Dwell Time
- "Platen" Style Seal Head makes contact with entire sealing surface of the Tray, works on Molded Paper or Plastic trays, even Trays with turned up Seal Flanges
- Variable Speed Control; .05 secs to 3.0 sec.
- Electrical Control Box Meets N.E.M.A. 4X Electrical Standards for "wash down" safe
- Universal Adjustable Dual-Lane tray Exit Ramps
- One Touch Film Holder Assembly, holds 2 film rolls at once
- Allen-Bradley Programmable Controller
- Dual Lane T-gasket Seal Pockets for trays up to 5.25" wide
- No Tools Needed to change from one tray size to another



Standard Control
Panel

Optional Features

- Dual-Lane Automatic Fruit Filler at Over 3,000 sealed trays per hour!
- In-Line Film Printer/Coder, add a Code Date for Local Health Compliance
- Auto tray De-Nester
- Touch Screen Control Panel
- Upgrade to Servo Motor for smooth, precise operations, ideal for liquids or using registered print films
- Radius cutter for perimeter trimming on round, oval or rounded corner trays



Optional Touch
Screen Control Panel

**Custom Lengths And Widths Made To Your Specifications.
Multi-Lane Platforms Are Available On All IDX Units.**

OMNI THF-30 Automatic Hot or Cold Filler

Omni "Twin Head Filler" systems are designed to work in conjunction with automatic heat seal packaging machines to automate the filling and heat sealing of items such as fruit cocktail, sliced peaches or pears, applesauce, oatmeal, grits, melted cheese and other flowing products. The OMNI THF is an ideal way to speed up production while minimizing your labor during food service production.

Standard Features

- Brushed Stainless Steel Construction, 1-1/2" x 1-1/2" Tubular frame
- A Tank "Agitator" provides constant mixing within the holding Hopper to ensure an even distribution of dispensed food products
- Waukesha Valves allows you to dispenses both "Hot & Cold" food products without changing out the valves
- Variable Speed Control 25 to 30 Cycles per Min. per lane
- Standard filling range is 2 oz. to 12 oz. fill, optional Cylinders will allow fill up to 36 oz.
- Select from Manual Fill to Automatic Fill via signal from OMNI IDX Heat Seal Machine, automatically fills on Stop
- Select Single Lane or Dual Lane tray filling
- Complete Filler Assembly is easily disassembled without tools for easy cleaning
- Wash Down Safe Electrical Control Box
- Stainless Steel Locking Caster Wheels and Quick Disconnect Locking Pins allow easy separation of the THF Filler from the Sealing Machine for easy cleaning




OMNI THF-Denester

Omni IDX Denester systems are designed to work in conjunction with OMNI IDX automatic heat seal packaging machines offering a safe ideal way to automatically drop a specifically sized tray into the seal pockets of the heat seal packaging machine to speed up pro-duction and reduce your labor force during food service production.

Standard Features

- Stainless Steel Construction and Aluminum Frame Construction for easy cleaning
- Stainless Steel Wafers that separate the trays
- Rack & Pinion Gears Rotate the Separator Wafers to Denest the stacked trays
- Stainless Steel Kickers added to Wafers give an extra push to Separate the Trays so they easily drop into the Seal Pockets
- 2 Air Lines connect the Denester to the Air Supply of the IDX Heat Seal Machine for operation
- Quick Disconnects on the air lines make changing out the Denester quick and easy



OMNI FC1200 Production Conveyor

Omni Conveyor systems are designed to work in conjunction with automatic heat seal packaging machines offering a safe, ideal method to station your labor force during food service production.

Standard Features


- Stainless Steel Construction
- Available in 10,12 & 16 foot lengths
- Variable Conveyor Speed Control
- 12" Wide Flat Food Grade Rubber Belt
- Start/Stop Button, Plus up to 3 Additional Stop Buttons
- Quick Release Belt Tension Control
- Wash Down Safe Electrical Control Box
- Adjustable Height Frame
- Stainless Steel Locking Caster Wheels



OMNI RA Rotating Packing Table (Lazy Susan)

Powered Accumulator systems are designed to work in conjunction with automatic heat seal packaging machines offering additional space for finished sealed trays to come off the line. Available in 3' and 4' diameter turntables, Accumulator Tables assist your staff during the sorting and packing of sealed trays into the transit cabinets or tubs.

- Rugged, Heavy Duty Construction
- Stainless Steel Construction
- Variable Speed Control
- 4" Deep Tub, Rated to Handle up to 300 Lbs.
- Leg Levelers That Will Adjust From 28" to 32" in Height



In-Line Date Coder

Using Hewlett Packard technology this printer will print two lines of high resolution print characters.

- Software comes with one font style in character print heights of 1/2" to 7/32"
- Create Logos in any graphic program capable of producing 2-bit black and white logos
- Produce product date coding

In-Line Transfer Printer

A superior thermal transfer coding solution for flexible packaging applications that demand high performance, ultrafast throughput, and coding flexibility.

- Advanced coder software virtually eliminates set-up errors
- Simple message selection reduces the potential for operator errors
- Range of customer selectable rules and permissions that help to prevent operator error with the printed code


Printing capabilities

Full downloadable font support using TrueType® fonts (including multiple languages and Unicode support); fixed, variable and merged text fields; flexible date/time formats; flexible shift code formats; auto best before date calculations and concession management; calendar rules; auto incrementing/decrementing text, counters and bar codes; multiple graphic formats supported (up to maximum print area); link fields to databases; scalable text and text blocks

Bar codes

EAN 8, EAN 13, UPC-A, UPC-E, Code 39, EAN 128, Code 128, ITF, RSS (including 2D composite codes); others available upon request

Operator interface WYSIWYG print preview



OMNI KS500 Sandwich Wedge Saw/ Conveyor

Designed to increase productivity while producing a smooth, consistent cut for triangle sandwiches.

Standard Features

- Industrial grade cutting blade assembly with quick release blades cuts meat, Salad and bread evenly
- Stainless Steel Frame and Side Panels
- Twin Food Grade Plastic Link Belts with 10-3/4" O.C. Pusher Knobs
- Variable Speed DC Drive Motor
- Wash Down Safe
- Adjustable Stainless Steel Locking Casters

Optional Features

- Additional Length to Conveyor
- Biscuit/Bagel Cutter Attachment
- On/ Off Foot Switch

